

Stamp Guide & Photo Gallery



Second Only to Nature!



Upstate Increte, Inc 1029 Lyell Ave Rochester, NY 14606

(585) 254-2010 customerservice@upstateincrete.com



































Notched Ashlar Slate





















Euro Fieldstone















Olde London Mermaid Granite











Herringbone Used Brick














































Compass Stamp

Belgian Stacked Bond 371/2" x 45/8"

Tool size is "48"

Soldier Course Used Brick 33" x 9"



Design Center
Training
Showroom!







Ontegral / Base Color

Wane

Increte Comp: Desert Tan

Quarry Gray

Increte Comp: silver gray

Harbor Gray

Increte Comp: soft gray

Saltillo

Increte Comp: saltillo

Brick Red

Increte Comp: brick red

Terra Cotta

Increte Comp: terra cotta

Weathered Buff

Increte Comp: austin buff

Cottage Tan

Increte Comp: phoenix tan

Earth Buff

Increte Comp: san jose buff

Sandstone

Increte Comp: sandstone

Ponderosa Beige

Increte Comp: Pecos Beige

Sand Buff

Increte Comp: sand buff

Due to variations of job site conditions, actual colors on the chart can and will vary slightly. Conditions that cause variation are inconsistent slump (water content), finishing and curing methods, weather conditions, and concrete raw materials. A job-site or test slab sample should be made using specified materials, and the finishing and curing techniques to be used. For color consistency, batch to batch uniformity must be maintained.

Release/Secondary Color



Photo Gallery


"Special thank you to our team and all the contractors who donated their pictures to preview in our catalog! We enjoy working together to bring all our customers and clients a better result and experience!






















Page | 17

























Page | 19




















INCRETE STAMPED CONCRETE SYSTEM



Beautifully Elegant Beautiful natural appearance duplicating the natural look of stone, slate, granite, brick, and wood in an unlimited assortment of color and pattern combinations to match any design theme and specification.



Moderate Comparable installation costs with shorter installation times for typical commercial and residential



Low Increased surface strength of 8,000 psi. Sealed and protected surface is impervious to grease and oil staining. Maintenance consists of a hose and broom. A high performance system for high traffic



High Increte's unique chemistry renders the surface non-porous and resistant to freeze thaw cycles as well as salt and alkali. Increte is also compatible with radiant heat systems.

INTERLOCKING CONCRETE **PAVERS**



Limited Fewer pattern and color combinations limited to brick and cobblestone patterns. Muted, flat colors that fade and discolor. Extremely porous material accepts staining very easily.



Moderate Sand Substrate Installation costs are moderate but susceptible to higher maintenance costs due to settling, shifting, heaving and washouts.

Concrete Substrate
Installation costs over concrete substrates are high.



Pavers susceptibility to settling, shifting, and washouts create pedestrian hazards and require costly maintenance or resetting. Pavers' high porosity allows for staining and rapid discoloring which requires cleaning or replacement. Individual pavers can be replaced but with a noticeable difference in appearance



Due to their porosity, pavers are highly susceptible to freeze thaw cycles causing heaving and settling of the surface as well as staining and erosion from salt and alkali.

INCRETE... The paver alternative!

re you tired of stained and unsightly pavers that require constant maintenance and resetting but still want a decorative look around your home or property?





INCRETE gives your more...

✓ Design Flexibility

Increte duplicates the look of natural stone, slate, granite, brick and wood at a fraction of the cost of natural materials.

More Patterns

Increte is available in over 100 standard patterns with custom pattern capabilities.

More Colors Increte is available in over 900 color combinations with custom colors available.

Increased Durability

Increte boasts a surface strength of 8,000 psi, twice the strength of ordinary concrete.

Increte is a monolithic slab that will not settle, shift and heave.

✓ Less Maintenance

Increte is non porous and resistant to staining

INCRETE is the clear-cut choice over pavers!

Make a choice for the future, choose the INCRETE stamped concrete system for your home or property.







pecified by architects worldwide, pecified by arcnitects worldwide, INCRETE is presently in use through-out 70 countries including all 50 states in the U.S., in a variety of appli-cations from residential drives, walks, patios, pool decks and foyers, to commer-cial and municipal applications including hotels, restaurants, theme parks, streets, crosswalks and sidewalks to name a few.

Increte Systems manufactures a com-plete line of decorative concrete products and systems all supported by a worldwide network of factory-trained contractors and distributors. Increte Systems offers com-plete factory training and technical sup-port as well as worldwide distribution.

Fax: (813) 920-1516







Project Managers

Decorative Coatings Made Easy!



Brought to you by:

Upstate Increte, Inc 1029 Lyell Ave Rochester, NY 14606 (585) 254-2010

CustomerService@UpstateIncrete.com