



UPSTATE INCRETE

Stamp Guide & Photo Gallery



Upstate Increte, Inc.
1029 Lyell Ave
Rochester, NY 14606
(585) 254-2010



Second Only to Nature!




Upstate Increte, Inc
1029 Lyell Ave
Rochester, NY 14606

(585) 254-2010
customerservice@upstateincrete.com







Random Flagstone




Slate Texture Skin





Large Random Flagstone



Desert Slate Skin






Flower Rock




Notched Ashlar Slate






River Rock



Olde English Slate Skin






Grand Slate




Philly Bluestone




Euro Fieldstone




Olde London Mermaid Granite



Running Bond Used Brick





Herringbone Used Brick







Olde English Slate (puzzle piece)




Notched Olde English Ashlar Slate




Hexagon Slate






Granite Tile Squares 6" squares




Olde English Sidewalk Slate





We're not only business, but family.

Rochester Location
49 Adelaide St.
(585) 254-2010

Geneva Location
2705 Lyons Rd.
(315) 325-4548



Ganged Pegged Wood Plank 8"



Compass Stamp

Tool size is "48"




Belgian Stacked Bond 37 1/2" x 45/8"



Soldier Course Used Brick 33" x 9"





*Design Center
Training
Showroom!*



Integral / Base Color

Wane

Increte Comp: desert tan

Quarry Gray

Increte Comp: silver gray

Harbor Gray

Increte Comp: soft gray

Saltillo

Increte Comp: saltillo

Brick Red

Increte Comp: brick red

Terra Cotta

Increte Comp: terra cotta

Weathered Buff

Increte Comp: austin buff

Cottage Tan

Increte Comp: phoenix tan

Earth Buff

Increte Comp: san jose buff

Sandstone

Increte Comp: sandstone

Ponderosa Beige












Increte Comp: Pecos Beige

Sand Buff

Increte Comp: sand buff

Due to variations of job site conditions, actual colors on the chart can and will vary slightly. Conditions that cause variation are inconsistent slump (water content), finishing and curing methods, weather conditions, and concrete raw materials. A job-site or test slab sample should be made using specified materials, and the finishing and curing techniques to be used. For color consistency, batch to batch uniformity must be maintained.

Release/Secondary Color



Need a color you do not see?! We have more available!!

Due to variations of job site conditions, actual colors on the chart can and will vary slightly. Base Color, finishing and curing methods, weather conditions, and concrete raw materials. A job-site or test slab sample should be made using specified materials, and the finishing and curing techniques to be used. For color consistency, batch to batch uniformity must be maintained.


Photo Gallery




~Special thank you to our team and all the contractors who donated their pictures to preview in our catalog! We enjoy working together to bring all our customers and clients a better result and experience!














★ Indicates that a stamp is Thin-Crete Overlayment compatible


SLATE



STONE




SEAMLESS TEXTURE SKINS (5'X5' & 4'X4')



Slate

Olde English Slate

WOOD




Ganged Pegged Wood Plank (8")

MISCELLANEOUS



Compass



Walmart Grand Tile
6" Squares



ADA Tactile

GRANITE



Olde London Mermaid

BRICK



Running Bond Used Brick



Herringbone Used Brick



BRICK BORDERS



Belgian Stacked Bond Border



Soldier Course Used Brick Border

...a comparison



INCRETE STAMPED CONCRETE SYSTEM

APPEARANCE



Beautifully Elegant

Beautiful natural appearance duplicating the natural look of stone, slate, granite, brick, and wood in an unlimited assortment of color and pattern combinations to match any design theme and specification.

INITIAL COST & INSTALLATION



Moderate

Comparable installation costs with shorter installation times for typical commercial and residential projects.

MAINTENANCE



Low

Increased surface strength of 8,000 psi. Sealed and protected surface is impervious to grease and oil staining. Maintenance consists of a hose and broom. A high performance system for high traffic.

WINTER DURABILITY



High

Increte's unique chemistry renders the surface non-porous and resistant to freeze thaw cycles as well as salt and alkali. Increte is also compatible with radiant heat systems.

INTERLOCKING CONCRETE PAVERS



Limited

Fewer pattern and color combinations limited to brick and cobblestone patterns. Muted, flat colors that fade and discolor. Extremely porous material accepts staining very easily.



Moderate

Sand Substrate
Installation costs are moderate but susceptible to higher maintenance costs due to settling, shifting, heaving and washouts.

High

Concrete Substrate
Installation costs over concrete substrates are high.



High

Pavers susceptibility to settling, shifting, and washouts create pedestrian hazards and require costly maintenance or resetting. Pavers' high porosity allows for staining and rapid discoloring which requires cleaning or replacement. Individual pavers can be replaced but with a noticeable difference in appearance.



Low

Due to their porosity, pavers are highly susceptible to freeze thaw cycles causing heaving and settling of the surface as well as staining and erosion from salt and alkali.

INCRETE... The paver alternative!

Are you tired of stained and unsightly pavers that require constant maintenance and resetting but still want a decorative look around your home or property?



INCRETE gives your more...

✓ **Design Flexibility**

Increte duplicates the look of natural stone, slate, granite, brick and wood at a fraction of the cost of natural materials.

✓ **More Patterns**

Increte is available in over 100 standard patterns with custom pattern capabilities.

✓ **More Colors**

Increte is available in over 900 color combinations with custom colors available.

✓ **Increased Durability**

Increte boasts a surface strength of 8,000 psi, twice the strength of ordinary concrete.

Increte is a monolithic slab that will not settle, shift and heave.

✓ **Less Maintenance**

Increte is non porous and resistant to staining.

INCRETE is the clear-cut choice over pavers!

Make a choice for the future, choose the INCRETE stamped concrete system for your home or property.



Hotel Entries



Driveways



Streets



Plazas



Pool Decks



Restaurants

Specified by architects worldwide, INCRETE is presently in use throughout 70 countries including all 50 states in the U.S., in a variety of applications from residential drives, walks, patios, pool decks and foyers, to commercial and municipal applications including hotels, restaurants, theme parks, streets, crosswalks and sidewalks to name a few.

Increte Systems manufactures a complete line of decorative concrete products and systems all supported by a worldwide network of factory-trained contractors and distributors. Increte Systems offers complete factory training and technical support as well as worldwide distribution.



The Future Of Concrete

1611 Gunn Highway, Odessa, Florida 33556 U.S.A.

Tel: (813) 886-8811, (800) 752-4626

Fax: (813) 920-1516

www.increte.com



DECORATIVE
CONCRETE
TECHNOLOGY

INCRETE



VS Pavers



Epoxy Nation

www.EpoxyNation.com

*Over 10 years of successful knowledge & experience brought to you in our Full-line of Epoxy Installation Products – now being offered for sale to **EVERYONE!***

All Your Decorative Coating Products & Accessories Proven To Work

Entrepreneurs

Do it Yourself

Installers

Contractors

Self Starters

Project Managers

Owners

Decorative Coatings Made Easy!

Brought to you by:

Upstate Increte, Inc

1029 Lyell Ave

Rochester, NY 14606

(585) 254-2010

CustomerService@UpstateIncrete.com

